

Cosmopolite

Sound Specs

FOH Speakers	
8	PA: d&b AL09
4	Front Fills: d&b Y7P
6	Sub: d&b V-GSUB
2	Sub: d&b B2
4	Galleri fills: d&b: Max 12
FOH Speakers AMP	
5	d&b D12 - Stereo amps for C7 og B2 speakers
2	d&b E-pac - amps for the front fills
FOH Mixer	
1	Midas Heritage D96-24
40	I/O DL251 48/16
FOH FX Rack	
1	Bricasti M7 - mono out and stereo in
1	Lexicon PCM92 - mono out and stereo in
1	1 Yamaha SPX - mono out and stereo in
Monitor Speakers	
10	d&b MAX
2	JBL EON - activ monitors
Monitor Amps	
3	CROWN XLS 802 - stereo amps 500W@80hm/800W@4ohm
Analog multi	
16	in-puts
8	Out-puts
Monitor console	
1	Midas Pro 2C
Stage Rack	
1	DL 251 - fixed format
Split Rack	
5	Klark Teknik Square One Splitter - provides a total of 40 split channels
Monitor mix	
	Per production day (first day of production)
	For productions that span several days (per extra day)

Light Specs	
	FHO Console
1	MA grandMA3 compact
	Dimmers
36	AVABCAC DD 16A
6	Alternatin curret Outlets
	Lamps
	Dimmers
1	Strand Light Predule 16°/30°, 650W
2	ETC S4 Zoom profil 15°/30°, 750W
2	Marq Lighting Gesture Beam 500
4	Floor PAR 64, CP88, 500W
6	Selecon SPX 26°, 800W
6	DTS Blinder Flash 2000L, 1300W
6	Showtec Sunstrip Active DMX, 750W
12	Selecon Rama Fresnel, 1000W
18	PARCAN 64, CP88, 500W
20	PARCAN 64, CP 62, 1000W
	LEDS
4	Martin, MAC Aura XB
24	Martin, RUSH PAR 1 RGBW
	Smoke Machine
1	Martin, JEM K1 HAZER
1	Martin, JEM Compact Hazer Pro
	Rigg
1	Front Truss: 10,5m long. Pq 300kg, Pl 100kg
1	1 Square rig above the stage: 6m x 5,7m. Pq 600kg, Pl 100kg

AV Specs	
	Projektor
Type:	Barco G60-W10 DLP laser phosphor projector
Resolution:	1,920 x 1,200 (WUXGA)
Brightness:	10,000 Lumens
Contrast ratio:	1200: 1 sequential; 6000: 1 dynamic; Extreme black: 100,000: 1
Projector connection:	2xHDMI, DVI-D, HDBaseT, 3G-SDI, VGA
Connection in venue:	VGA, HDMI
Input resolutions:	Up to 1,920 x 1,200 @ 60Hz
Dimensions:	(WxLxH) without feet: 484 x 529 x 195 mm / 19.06 x 20.83 x 7.68 inches
Weight:	Weight without lens: 22.7 kg / 50.1 lbs
	Screen
Screen type:	Front projection screen
Format:	16:09
	Distance
1,6m:	From stage floor to lower edge of the screen
17m:	From projector to screen



Updated: August 2024

Cosmopolite Scene - Backline List

Units	Equipment	
	Drums:	
1	Kick Drum 20"x18"	
1	Kick Drum 18"x15"	
1	Snare 14"x4"	
1	Tom 10"x9"	
1	Tom 12"x10"	
1	Tom 15"x13"	
1	Zildjian A Custom 14" Hi-Hat Cymbals	
1	Zildjian A Custom 16" Crash Cymbal	
1	Zildjian A Custom 20" Medium Ride Cymbal	
1	Zildjian A Custom 18" Crash Cymbal	
3	Boom Cymbal stand	
2	Hi-hat stand	
2	Cymbal + tom stand	
2	Tama Iron Cobra drum pedal	
1	Drum throne	
	Congas:	
1	Tumba LP Classic Model 12"	
1	Conga LP Classic Model 11"	
1	Quinto LP Classic Model 10"	
	Bongos:	
1	LP Generation 7/8"	
	Timbales	
1	LP Tito Puente Model med stativ	
	Percussion	
1	Original Realplayer SteelBell	
1	Maxtone Percussion cowbell	
	Bass Amps:	
	Set 1	
1	AMPEG SVT CLASSIC head - with tubes	
1	AMPEG 810 cabinet - with 8x10 speakers	
	Set 2	
1	AMPEG SVT 3 PRO head - transistor	
1	AMPEG 410HE cabinet - with 4x10" speakers	
1	AMPEG 15E gabinet - with 1x15" speakers	
	Guitar Amps:	
1	Fender Twin Reverb - heavy old version, with original pedal	
1	Fender Twin Reverb	
1	Fender Hot Rod Deluxe III - with original pedal	
1	VOX AC30 C	
	Piano including tuning	
1	YAMAHA C7 GRAND PIANO (CosmopoliteVenue)	
1	SAUTER RAGAZZA 122 upright piano (Belleville venue)	
	Monitor mix	
	Per production (day one of the production)	
	For productions over several days (per extra day)	

Microphone List	
Units	Equipment
	SHURE
8	SM 58
6	BETA 58
9	SM 57
3	BETA 57
3	SM 81
2	BETA 91
2	BETA 52A
2	ULXD2 /B58
1	ULXD4DE
	SENNHEISER
3	e603
2	e906
4	MD 421
	BEYERDYNAMIC
1	MCE 83
3	Opus 87
1	TG D57c
	AKG
2	C411 PP
2	C480
1	C214
	NEUMANN
1	KMS 105 bk
1	KM 184 mt Stereo Set
	DPA
2	4099G DC-2
1	CC4099
2	PC4099
1	UC4099
2	VC4099
1	BC4099


Cosmopolite
 — SCENE OSLO —

Updatetd: August 2024

Various	
Units	Equipment
	Kables
	XLR
32	Klotz MY206 10 Meter
45	Klotz MY206 5 Meter
	JACK
8	Klotz AIS GmbH
1	Klotz Pro
1	Neutrik Silent
2	Shott tm
1	HotLine
1	Coridal
1	Proel "Die-HarD series"
1	BC25 INC
1	Professional Low Noise Instrument Cable
1	DiMarzlo
	SPEAKON
6	Klotz LY225T 15 Meter
9	Klotz LY225T 10 Meter
	LK
1	Bright Multikabel 20m 12-par LK37 PW12
2	Bright Multikabel 10m 12-par LK37 PW12
1	Bright Multikabel 5m 12-par LK37 PW12
4	Bright Stageboks LK37M-12x XlrF-LF37F Halvboks
4	Bright Fanout 12xXlrF -> LK37M
	DI box
11	KlarkTeknik DN 100 Activ Direct INJECTION BOX
2	KlarkTeknik Activ DI BOX
1	Whirlwind HotBox Active Reference DI
	Mic stands
6	High Stand - with round base
26	High Tripod - tripod
2	Low Tripod - tripod
16	Low Stand - with round base
3	Keyboard "X" type stand
8	Guitar stands
4	Speaker stand
	Music stands
6	Music stand - medium
24	Note light - with flexible neck and cord
	Stage elements
20	Nivoflex stage element 1x2 m
3	Nivtec transport trolley for 6 podiums on a high edge, L. 108cm 80502

Cosmopolite Stage Plan Main Stage

Updated: Jan 2017



Cosmopolite

Stage Plan Main Stage

Updated: Jan 2017




Temporary stage elements (20pcs) can be used as stage extension or as risers in different combinations.
Dimensions of a temporary stage element: 1m x 2m
Available heights: 1m (for stage extension)
0,2m (for riser)
0,4m (for riser)

Cosmopolite

Stage Plan Main Stage

Updated: Jan 2017




Temporary stage elements (20pcs) can be used as stage extension or as risers in different combinations.
Dimensions of a temporary stage element: 1m x 2m
Available heights: 1m (for stage extension)
0,2m (for riser)
0,4m (for riser)

Cosmopolite

Stage Plan Main Stage

Updated: Jan 2017




Temporary stage elements (20pcs) can be used as stage extension or as risers in different combinations.
Dimensions of a temporary stage element: 1m x 2m
Available heights: 1m (for stage extension)
0,2m (for riser)
0,4m (for riser)

Cosmopolite

Stage Plan Main Stage

Updated: Jan 2017



Temporary stage elements (20pcs) can be used as stage extension or as risers in different combinations.
Dimensions of a temporary stage element: 1m x 2m
Available heights: 1m (for stage extension)
0,2m (for riser)
0,4m (for riser)